

MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 124/125

20 02 2007

ISSN 1015-8235

Synonymical and distributional List of the species of Tunceli Province (East Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Tunceli Province (East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 124/125: 1-12.

This paper deals with the Lepidoptera species hitherto recorded in the Tunceli Province in the East Turkey. Totally 382 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Tunceli Province

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Tunceli. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 382 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) *Axiopoenia maura* (Eichwald,1830) (Arctiidae) *maura* Eichwald,1830; *fluviatilis* Swinhoe,1885. 08 36 25 62
- 2) *Eilema caniola* (Hübner,[1808]) (Arctiidae) *caniola* Hübner,[1808] 05 07 10 16 17 28 30 42 48 55 57 62 71
- 3) *Eilema palliatella* (Scopoli,1763) (Arctiidae) *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866. 06 10 12 14 25 45 60 62 71
- 4) *Eilema pseudocomplana* (Daniel,1939) (Arctiidae) *pseudocomplana* Daniel,1939 06 16 25 36 42 46 62
- 5) *Euplagia quadripunctaria* (Poda,1761) (Arctiidae) *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. 01 05 07 08 09 14 16 25 29 33 35 45 46 52 53 62 65
- 6) *Euplagia splendidior* (Tams,1922) (Arctiidae) *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935. 30 36 62 65 76
- 7) *Ocnogyna* (s.str.) *herrichi* Staudinger,1879 (Arctiidae) *herrichi* Staudinger,1879 01 12 33 44 46 62
- 8) *Aglais urticae* (Linnaeus,1758) (Argynnidae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 9) *Argynnis* (Fabriciana) *niobe* (Linnaeus,1758) (Argynnidae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 10) *Argynnis* (Pandoriana) *pandora* (Denis & Schiffermüller,1775) (Argynnidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 11) *Argynnis* (Speyeria) *aglaja* (Linnaeus,1758) (Argynnidae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Priamus 11 (5), 11 (6), et seq.

- 12) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 13) **Brenthis daphne (Bergsträsser,1780)** (Argynnididae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 14) **Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnididae) *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 15) **Cynthia cardui (Linnaeus,1758)** (Argynnididae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 16) **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnididae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *bye* Bergsträsser,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 17) **Issoria lathonia (Linnaeus,1758)** (Argynnididae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 18) **Limnitis (Azuritis) reducta Staudinger,1901** (Argynnididae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 19) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnididae) *phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträsser,[1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 20) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnididae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 21) **Melitaea (Cinclidia) collina Lederer,1861** (Argynnididae) *collina* Lederer,1861 01 21 23 24 27 30 31 33 44 46 62 63 65 73
- 22) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) *didyma* Esper,[1779]; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 23) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnididae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 24) **Melitaea (Didymaeformis) perseia Kollar,[1849]** (Argynnididae) *perseia* Kollar,[1849]; *caucasica* Stgr.,1861; *magnacasta*, *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *causica* Bork,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert,1975. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 25) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 26) **Mellicta athalia (Rottemburg,1775)** (Argynnididae) *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixtadeladussa* Verity,1940; *neglecta* Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 27) **Nymphalis antiopa (Linnaeus,1758)** (Argynnididae) *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927. 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 28) **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 29) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 30) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 31) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) *egea* Cramer,[1775] (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 32) **Thaleropsis ionia (Eversmann,1851)** (Argynnididae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851. 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 33) **Vanessa atalanta (Linnaeus,1758)** (Argynnididae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 34) **Brahmaea (s.str.) ledereri Rogenhofer,1873** (Brahmaeidae) *ledereri* Rogenhofer,1873 07 23 24 30 31 33 46 62 65 73 80
- 35) **Watsonalla binaria (Hufnagel,1767)** (Drepanidae) *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falcularia* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802] 05 06 08 10 12 14 16 30 42 46 50 53 62 65 71 73
- 36) **Aplocera obsitaria (Lederer,1853)** (Geometridae) *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937 04 05 21 42 46 47 58 62 65 76
- 37) **Aplocera plagiata (Linnaeus,1758)** (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
- 38) **Aplocera uniformata (Urbahn,1971)** (Geometridae) *uniformata* Urbahn,1971 06 29 36 53 62
- 39) **Gnophos (Dicrognophos) pseudosnelleni (Rjabov,1964)** (Geometridae) *pseudosnelleni* Rjabov,1964 13 62
- 40) **Rhodostrophia auctata (Staudinger,1879)** (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 41) **Rhodostrophia calabra (Petagna,1786)** (Geometridae) *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790. 05 06 07 14 17 22 31 34 39 50 61 62 71
- 42) **Thalera fimbrialis (Scopoli,1763)** (Geometridae) *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75
- 43) **Phyllonorycter flava Deschka,1975** (Gracillariidae) *flava* Deschka,1975 62

- 44) **Carcharodus (Lavatheria) lavatherae (Esper,[1783])** (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 45) **Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 46) **Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 47) **Eogenes alcides Herrich-Schäffer,[1852]** (Hesperiidae) *alcides* Herrich-Schäffer,[1852] 05 08 20 23 24 25 29 30 35 36 42 50 56 60 62 65 66
- 48) **Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 49) **Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 50) **Muschampia nomas (Lederer,1855)** (Hesperiidae) *nomas* Lederer,1855 01 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 70 73
- 51) **Muschampia poggei (Lederer,1858)** (Hesperiidae) *poggei* Lederer,1858 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 52) **Ochlodes venatus (Bremer & Grey,[1852])** (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 53) **Pyrgus alveus (Hübner,[1803])** (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffellensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 54) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 55) **Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 56) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 57) **Pyrgus sidae (Esper,[1784])** (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 58) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 59) **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 60) **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 61) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 62) **Thymelicus novus (Reverdin,1916)** (Hesperiidae) *novus* Reverdin,1916 04 05 13 21 23 25 30 46 47 56 62 65 73
- 63) **Thymelicus sylvestris (Poda,1761)** (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 64) **Dendrolimus pini (Linnaeus,1758)** (Lasiocampidae) *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959 05 06 08 14 17 19 25 36 46 53 60 61 62
- 65) **Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Sishetkin,1960. 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71
- 66) **Lasiocampa grandis (Rogenhofer,1891)** (Lasiocampidae) *grandis* Rogenhofer,1891 01 06 07 11 12 13 14 19 41 42 44 46 50 56 62
- 67) **Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 68) **Pachypasa otus (Drury,[1773])** (Lasiocampidae) *otus* Drury,[1773] 05 16 33 35 62
- 69) **Phyllodesma tremulifolium (Hübner,[1810])** (Lasiocampidae) *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 70) **Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 71) **Callophrys paulae Pfeiffer,1932** (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965 24 25 30 38 46 50 51 60 62 65 69 70 73 75
- 72) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 73) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 74) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 75) **Cigaritis acamas (Klug,1834)** (Lycaenidae) *acamas* Klug,1834 01 12 13 21 23 24 27 30 31 33 46 47 62 63 65 73
- 76) **Cigaritis cilissa Lederer,1861** (Lycaenidae) *cilissa* Lederer,1861 01 12 24 27 30 31 33 44 46 48 62 63

- 77) **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 78) **Glauropsyche (Apelles) astraea (Freyer,[1851])** (Lycaenidae) *astraea* Freyer,[1851]; *#astrea* Gerhard,1853 01 05 07 32 33 38 42 44 51 58 60 62 66 70
- 79) **Glauropsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 80) **Heodes (Loweia) tityrus (Poda,1761)** (Lycaenidae) *tityrus* Poda,1761; *acron* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 81) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 82) **Iolana lessei Bernardi,1964** (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 83) **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedius* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 84) **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 85) **Maculinea arion (Linnaeus,1758)** (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 *nec* Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 86) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) *carmon* Gerhard,[1851, November]; *euryпилus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 87) **Plebejus (Lycæides) idas (Linnaeus,1761)** (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 88) **Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 89) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraxiphonome* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 90) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 91) **Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) *alcedo* Christoph,1877 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76
- 92) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus* Staudinger,1871 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 93) **Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] *nec* Frivaldsky,1835; *orpheus* Nekrutenko,1980. 01 03 05 06 07 10 11 14 15 16 18 19 26 29 32 33 34 37 38 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 77 81
- 94) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909. 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 95) **Polyommatus (Aricia (s.str.)) agestis (Denis & Schiffermüller,[1775])** (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 96) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) *firdussii* Forster,1956 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 97) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus* Esper,[1783] 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 98) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 99) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76
- 100) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) *eriwanensis* Forster,1960 08 24 25 36 58 62 65 69 75 76
- 101) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 102) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) *antidolus* Rebel,1901 04 12 13 25 30 62 65 76
- 103) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard,[1851])** (Lycaenidae) *#hopfferi* Herrich-Schäffer,[August,1851] (*uninominal*); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961. 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 104) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 105) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) *mithridates* Staudinger,1878 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 106) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892. 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80

- 107) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri Forster,1956* 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 108) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia Herrich-Schäffer,[1847]* 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 109) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) *vanensis De Lesse,1957* 04 08 13 24 25 30 36 62 65 69 76
- 110) **Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) eurytilos (Gerhard,[1851])** (Lycaenidae) *eurytilos Gerhard,[1851]; carmon Herrich-Schäffer,[1851 December]; munzuricus Rose,1978* 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 111) **Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus (Koçak,1977)** (Lycaenidae) *turcicus Koçak,1977* 04 08 13 24 25 29 30 36 62 65 69 76
- 112) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis Freyer,[1842]; mesopotamica Tutt,[1909]*. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 113) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; antearentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958* 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 114) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius Herrich-Schäffer,[1852]* 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 115) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae) *ossmar Gerhard,[1851]* 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71
- 116) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909*. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 117) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 118) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 119) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas [Denis & Schiffermüller],1775; hylas Esper,[1778] nec Linnaeus,1758; argester Bergsträßer,[1779]; magna Balint,1985*. 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 120) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon Christoph,1877* 04 08 13 24 25 29 36 49 53 62 65 69 76
- 121) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) *cornelius Freyer,[1850]; cornelia Gerhard,[1851]; candalus Herrich-Schäffer,[1851]; zuleikae Pfeiffer,1932; eberti Koçak,1979; subtilis Pages & Charmeux,1992*. 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 122) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites Canterer,[1835]; chapmani Ball,1914; meridiana Verity,1919*. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 123) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851;* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 124) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 125) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus Linnaeus,1758* 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22 23 25 28 29 30 32 33 34 38 39 42 43 44 45 46 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 126) **Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) *bavius Eversmann,1832* 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 127) **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardti Wiltshire,1943; elta Higgins,1964*. 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 128) **Satyrium (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) *armenum Rebel,1901* 04 08 13 24 25 30 36 49 62 65 69 76
- 129) **Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis Esper,[1779]* 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 130) **Satyrium (Nordmannia) zabni Oorschot & Brink,1991** (Lycaenidae) *#zabni Higgins,1964; zabni Oorschot & Brink,1991*. 02 13 21 23 27 30 31 44 46 47 49 56 62 65 72 73
- 131) **Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950*. 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 132) **Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri Boisduval,1848* 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76
- 133) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus Freyer,[1843]* 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 134) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787*. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 135) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852]*. 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 136) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852]*. 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76

- 137) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 138) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 139) **Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) *nesimachus* Oberthür,1893 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70
- 140) **Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] 01 03 05 06 07 14 18 19 21 23 26 27 32 33 42 44 46 50 51 55 58 60 62 65 66 71
- 141) **Tomares romanovi (Christoph,1882)** (Lycaenidae) *romanovi* Christoph,1882 04 12 13 23 30 36 47 62 65 73 76
- 142) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion* Freyer,[1850] 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 143) **Euproctis melania (Staudinger,1892)** (Lymantriidae) *melania* Staudinger,1892; *melaniodes* Strand,1910. 05 12 30 44 46 47 62 65
- 144) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 145) **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926 06 07 11 12 17 19 23 25 30 33 36 46 50 62 65 71
- 146) **Abrostola clarissa (Staudinger,1900)** (Noctuidae) *clarissa* Staudinger,1900 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65 66
- 147) **Acantholipes regularis (Hübner,[1813])** (Noctuidae) *regularis* Hübner,[1813] 01 05 06 13 14 23 30 33 35 36 46 50 62 65
- 148) **Acontia titania (Esper,[1798])** (Noctuidae) *titania* Esper,[1798]; *uranina* Frivaldsky,1835; *eversmanni* Kolenati,1846. 01 05 08 16 17 24 30 33 36 50 58 60 62 65
- 149) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 150) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 151) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) *psi* Linnaeus,1758 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 152) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusik & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 153) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 154) **Aedophron rhodites (Eversmann,1851)** (Noctuidae) *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. 05 06 18 25 36 42 50 51 58 60 62 66
- 155) **Agrochola (Alpichola) janhillmanni Hacker & Moberg,1989** (Noctuidae) *janhillmanni* Hacker & Moberg,1989 04 08 12 13 25 30 36 49 62
- 156) **Agrochola (Alpichola) lactiflora (Draudt,1934)** (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 157) **Agrochola (Alpichola?) gratiosa (Staudinger,1882)** (Noctuidae) *gratiosa* Staudinger,1881. 05 06 08 12 33 45 62 70
- 158) **Agrochola (Anchoscelis) consueta (Herrich-Schäffer,[1852])** (Noctuidae) *consueta* Herrich-Schäffer,[1852] 31 58 62 70
- 159) **Agrochola (Anchoscelis) rupicapra (Staudinger,1879)** (Noctuidae) *rupicapra* Staudinger,1879 06 33 38 46 50 58 62 63 64
- 160) **Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781. 02 05 13 31 46 56 60 62 63
- 161) **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62 63 65 70
- 162) **Agrotis (Crassagrotis) obesa (Boisduval,1829)** (Noctuidae) *obesa* Boisduval,1840 01 06 08 18 20 25 46 50 58 62 63 65 71
- 163) **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 164) **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 165) **Ammoconia caecimacula (Fabricius,1787)** (Noctuidae) *caecimacula* Fabricius,1787 08 12 14 24 36 46 62 66 75
- 166) **Amphipyra micans Lederer,1857** (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 167) **Amphipyra stix Herrich-Schäffer,[1850]** (Noctuidae) *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879. 01 05 08 15 25 30 32 36 42 50 62 65
- 168) **Amphipyra submicans Kuznetsov,1958** (Noctuidae) *submicans* Kuznetsov,1958 30 51 62 65
- 169) **Antholopha gloriosa (Staudinger,1892)** (Noctuidae) *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933. 01 06 25 27 31 36 44 46 47 58 60 62 63 64
- 170) **Anthracia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) *eriopoda* Herrich-Schäffer,[1851] 09 16 17 33 46 62
- 171) **Antitype jonis (Lederer,1865)** (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70
- 172) **Apamea syriaca (Osthelder,1933)** (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 173) **Aporophyla australis (Boisduval,1829)** (Noctuidae) *australis* Boisduval,1829 05 06 07 18 27 33 44 46 47 50 56 62 63 70
- 174) **Atethmia pinkeri (Boursin,1970)** (Noctuidae) *#pinkeri* Boursin,1970 06 62 66 70
- 175) **Autographa gamma (Linnaeus,1758)** (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992. 01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 176) **Autophila (s.str.) banghaasi Boursin,1940** (Noctuidae) *banghaasi* Boursin,1940 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 50 58 62 60 65 66 75
- 177) **Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856. 01 05 06 13 18 25 30 32 35 36 38 42 46 47 50 51 62 65
- 178) **Bena bicolorana (Fuessly,1775)** (Noctuidae) *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspecta* Warren,1913. 01 05 06 11 17 18 33 39 42 62 73
- 179) **Brachylomia uralensis (Warren,1910)** (Noctuidae) *uralensis* Warren,1910 25 58 62
- 180) **Bryophilopsis roederi (Standfuss,1892)** (Noctuidae) *roederi* Standfuss,1892 07 13 30 31 33 42 47 58 62 65 73
- 181) **Caradrina (Boursinidrina) panurgia (Boursin,1939)** (Noctuidae) *panurgia* Boursin,1939 44 62
- 182) **Caradrina (Boursinidrina) rjabovi (Boursin,1936)** (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 04 13 25 36 44 46 58 62 65

- 183) *Caradrina (Eremodrina) inumbrata* (Staudinger,1900) (Noctuidae) *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 01 04 08 25 36 44 46 58 62 65
- 184) *Caradrina (Eremodrina) salzi* (Boursin,1936) (Noctuidae) *salzi* Boursin,1936 04 13 21 23 24 30 36 44 51 62 70
- 185) *Caradrina (Paradrina) clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovollans* Pinker,1974; *pinker* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 186) *Caradrina (Paradrina) scotoptera* (Püngeler,1914) (Noctuidae) *scotoptera* Püngeler,1914 01 33 62
- 187) *Caradrina (Paradrina) wulschlegeli* (Püngeler,1903) (Noctuidae) *wulschlegeli* Püngeler,1903 06 07 08 12 14 18 24 25 30 35 37 42 43 49 50 51 58 60 62 65 66 80
- 188) *Caradrina (Platyperigea) albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 189) *Caradrina (Platyperigea) aspersa* (Rambur,1834) (Noctuidae) *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913. 03 05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 66
- 190) *Caradrina (s.str.) agrotina* (Staudinger,1892) (Noctuidae) *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933. 05 06 31 33 42 46 62
- 191) *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) *alchymista* [Denis & Schiffermüller],1775 06 07 17 18 30 33 34 39 42 62 65
- 192) *Catocala (Ephesia) nymphaea* (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]. 01 06 07 16 18 33 35 62
- 193) *Catocala (s.str.) abacta* Staudinger,1900 (Noctuidae) *abacta* Staudinger,1900; *irana* Brandt,1938; *iranica* Hacker,1986. 01 02 07 12 13 23 30 42 44 46 47 48 62 65 73
- 194) *Catocala (s.str.) catei* Weisert,1998 (Noctuidae) *catei* Weisert,1998 62
- 195) *Catocala (s.str.) disjuncta* (Geyer,[1828]) (Noctuidae) *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903. 01 05 06 07 08 16 18 31 32 33 35 42 50 62
- 196) *Catocala (s.str.) diversa* (Geyer,[1828]) (Noctuidae) *diversa* Geyer,[1828]; *#diversa* Hacker,1988 03 05 16 30 42 50 56 62
- 197) *Catocala (s.str.) lupina* Herrich-Schäffer,[1851] (Noctuidae) *lupina* Herrich-Schäffer,[1851] 01 06 08 18 25 50 51 58 62 65
- 198) *Catocala (s.str.) neonympha* (Esper,[1805]) (Noctuidae) *neonympha* Esper,[1805] 05 16 19 23 30 36 58 60 62 65
- 199) *Catocala (s.str.) nymphagoga* (Esper,[1787]) (Noctuidae) *nymphagoga* Esper,[1787]; *tmolia* Lederer,1865 01 05 06 07 11 12 16 17 30 33 35 39 45 50 62 73
- 200) *Catocala (s.str.) viviannae* Hacker & Kautt,1996 (Noctuidae) *viviannae* Hacker & Kautt,1996 02 62
- 201) *Chersotis semna* (Püngeler,1906) (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 202) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 203) *Cleonymia (Serrynia) opposita* (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 204) *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 205) *Craniophora pontica* (Staudinger,1879) (Noctuidae) *pontica* Staudinger,1879 05 06 08 13 18 24 30 46 62
- 206) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 207) *Cryphia (Bryoleuca) tephrocharis* Boursin,1954 (Noctuidae) *tephrocharis* Boursin,1954 01 06 07 12 23 25 30 32 33 42 44 46 50 51 58 60 62 63 70
- 208) *Cryphia (Bryophila) maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 209) *Cryphia (Bryopsis) amasina* (Draudt,1931) (Noctuidae) *amasina* Draudt,1931 01 05 06 08 12 18 25 42 62 65
- 210) *Cryphia (Euthales) ochsi* (Boursin,1941) (Noctuidae) *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952 01 05 06 07 08 16 23 28 32 33 42 50 51 55 58 59 62 63 67
- 211) *Cryphia (s.str.) receptricula* (Hübner,[1803]) (Noctuidae) *strigula* Borkhausen,1792 *nec* Thunb.,1788; *recepticula* Hübner,[1803]; *stictica* Ménétériés,1859. 05 06 08 12 16 23 30 46 50 60 62 66
- 212) *Diarsia mendica* (Fabricius,1775) (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60 61 62 69 75
- 213) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 214) *Dichagyris (Yigoga) flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931. 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 58 60 62 63 65 66
- 215) *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. 01 04 07 36 38 42 50 51 58 62 65
- 216) *Dichagyris (Yigoga) truculenta* (Lederer,1853) (Noctuidae) *truculenta* Lederer,1853 04 25 38 46 50 51 58 62 65 69
- 217) *Dichagyris (s.str.) amoena* (Staudinger,1892) (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. 04 05 08 18 23 25 27 42 46 50 58 62 65 69
- 218) *Dichagyris (s.str.) contermina* (Corti,1929) (Noctuidae) *contermina* Corti,1929; *wolff* Hacker,1985. 13 23 47 56 58 62 63
- 219) *Dichagyris (s.str.) melanura* (Kollar,1846) (Noctuidae) *melanura* Kollar,1846 01 04 05 06 08 24 25 29 30 40 42 44 46 50 51 58 62 65 66
- 220) *Dichagyris (s.str.) renigera* (Hübner,[1808]) (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 221) *Drasteria cailino* (Lefébvre,1827) (Noctuidae) *cailino* Lefébvre,1827 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 222) *Earias clorana* (Linnaeus,1761) (Noctuidae) *clorana* Linnaeus,1761; *viride* Retzius,1783 01 05 06 10 12 14 17 18 24 29 42 50 58 62 65 66 69
- 223) *Epilecta linogrisea* ([Denis & Schiffermüller],1775) (Noctuidae) *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. 01 03 05 06 08 16 17 33 42 46 50 62
- 224) *Episema lederi* Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65
- 225) *Episema tersa* ([Denis & Schiffermüller],1775) (Noctuidae) *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956. 06 14 18 42 46 49 50 51 58 62 65

- 226) **Eublemma (albida-gr.) gratissima (Staudinger,1892)** (Noctuidae) *gratissima* Staudinger,1892; *infusata* Staudinger,1892; *peralba* Schawerda,1923. 01 05 07 08 23 24 25 30 40 46 47 50 58 62 65
- 227) **Eublemma (albida-gr.) straminea (Staudinger,1892)** (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. 01 04 23 30 36 44 46 50 58 62 76
- 228) **Eublemma (ostrina-gr.) ostrina (Hübner,[1808])** (Noctuidae) *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973. 01 05 07 08 09 10 16 31 33 35 46 50 51 56 58 60 62 63 64 65 66
- 229) **Eublemma (pallidula-gr.) pallidula (Herrich-Schäffer,1856)** (Noctuidae) *pallidula* Herrich-Schäffer,1856 01 05 12 13 23 24 25 30 42 44 47 50 51 58 62 65 66
- 230) **Eublemma (rosina-gr.) purpurina ([Denis & Schiffermüller],1775)** (Noctuidae) *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901. 03 05 10 14 18 24 34 42 50 60 62
- 231) **Euchalcia (s.str.) emichi (Rogenhofer,1873)** (Noctuidae) *emichi* Rogenhofer,1873 01 08 18 19 25 30 31 36 38 42 46 49 50 51 58 62 65 66
- 232) **Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) *pontica* Staudinger,1892 05 06 08 12 18 23 25 30 33 50 62 65 66
- 233) **Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75
- 234) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abditia* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 235) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabille,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. 01 05 06 08 14 18 25 27 36 42 50 51 58 62 65 66 71
- 236) **Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) *hastifera* Donzel,1847; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. 01 04 25 42 49 62 65 70
- 237) **Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 238) **Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957. 03 06 19 23 25 29 42 50 51 58 59 62 65 68
- 239) **Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) *sulfifera* Christoph,1893 04 08 12 25 30 42 62 65 69 76
- 240) **Gortyna cervago Eversmann,1844** (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936. 04 06 25 36 44 58 62 65 69
- 241) **Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) *osmana* Hacker & Kuhna,1986 04 13 25 36 62 65 75
- 242) **Grammodes stolidia (Fabricius,1775)** (Noctuidae) *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidia* Herrich-Schäffer,1851; *curvilinea* Walker,1869. 01 05 06 07 08 16 18 33 39 62 65
- 243) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) *pumila* Staudinger,1879 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 244) **Hadena (Pinkericola) cappadocia Hacker,1987** (Noctuidae) *cappadocia* Hacker,1987 06 12 13 25 30 40 50 51 58 62 65 66
- 245) **Hadena (s.str.[Luteocincta]) persimilis Hacker,1996** (Noctuidae) *persimilis* Hacker,1996 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 246) **Hadena (s.str.[Miselia]) compta ([Denis & Schiffermüller],1775)** (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 247) **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infra* Haworth,1809; *contribulis* Duponchel,1827; *farkastii* Treitschke,1835; *inquietia* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 248) **Haemerosia renalis (Hübner,[1813])** (Noctuidae) *renalis* Hübner,[1813] 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 249) **Hecatera cappa (Hübner,[1809])** (Noctuidae) *cappa* Hübner,[1809] 05 06 16 17 18 25 36 40 42 51 58 62 65
- 250) **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 251) **Heliopsis viriplaca (Hufnagel,1766)** (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 252) **Heterophya dumetorum (Geyer,1834)** (Noctuidae) *dumetorum* Geyer,1834 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 253) **Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) *pfeifferi* Boursin,1932. 08 13 18 23 25 30 32 36 42 50 51 58 62 65
- 254) **Lampra fimbriata (Schreber,1759)** (Noctuidae) *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 255) **Lamprosticta culta ([Denis & Schiffermüller],1775)** (Noctuidae) *#cultia* [Denis & Schiffermüller],1775 06 07 13 14 18 24 25 32 37 42 50 58 62 65 66
- 256) **Leucania loreyi (Duponchel,1827)** (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 257) **Leucania punctosa (Treitschke,1825)** (Noctuidae) *punctosa* Treitschke,1825 01 07 42 46 50 56 62 63
- 258) **Lithophane ornitopus (Hufnagel,1766)** (Noctuidae) *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976 05 06 08 16 24 62
- 259) **Luperina diversa (Staudinger,1892)** (Noctuidae) *diversa* Staudinger,1892; *indistincta* Rebel,1933 01 04 05 06 12 13 18 21 55 56 58 60 62 65 66 73
- 260) **Lygephila cracca (Fabricius,1787)** (Noctuidae) *#cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; *#eracca* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 261) **Lygephila lusoria (Linnaeus,1758)** (Noctuidae) *lusoria* Linnaeus,1758 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 262) **Lygephila lusoria amasina (Staudinger,1879)** (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913. 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 263) **Lygephila schachtii Behounek & Hacker,1986** (Noctuidae) *schachtii* Behounek & Hacker,1986 01 12 13 23 30 47 62 73
- 264) **Megalodes eximia (Freyer,1845)** (Noctuidae) *eximia* Freyer,1845 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 265) **Mesoligia literosa (Haworth,[1809])** (Noctuidae) *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 266) **Metopodicha ernesti Draudt,1936** (Noctuidae) *ernesti* Draudt,1936; *achaemenica* Wiltshire,1941 12 30 44 46 58 62 73
- 267) **Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933 09 23 46 62 57 63

- 268) **Mythimna (Aletia) pudorina** ([Denis & Schiffermüller],1775) (Noctuidae) *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803]. 16 30 62
- 269) **Mythimna (Aletia) vitellina** (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisescens* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 270) **Mythimna (Hyphilare) ferrago** (Fabricius,1787) (Noctuidae) *ferrago* Fabricius,1787; *lythargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 271) **Noctua (Latanocua) orbona** (Hufnagel,1766) (Noctuidae) *orbona* Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 272) **Noctua (s.str.) pronuba** (Linnaeus,1758) (Noctuidae) *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piez.,1908; *decolorata* Turati,1923. 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 273) **Odice kuelekana** (Staudinger,1871) (Noctuidae) *kuelekana* Staudinger,1871 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70
- 274) **Omphalophana durnalayana** Osthelder,1933 (Noctuidae) *durnalayana* Osthelder,1933 04 12 25 30 36 46 49 62
- 275) **Oncocnemis confusa** (Freyer,[1839]) (Noctuidae) *confusa* Freyer,[1839]. 04 25 30 36 46 50 58 62 65
- 276) **Oncocnemis nigricula** (Eversmann,1847) (Noctuidae) *nigricula* Eversmann,1847 25 62 75 76
- 277) **Ophiura lunaris** (Goeze,1781) (Noctuidae) *lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. 01 05 06 07 10 16 18 25 32 33 35 39 42 50 56 62 65
- 278) **Orthosia rubricosa** (Esper,[1786]) (Noctuidae) *miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786]. 05 06 07 09 11 13 17 30 33 43 46 56 58 62 63
- 279) **Parallelia algira** (Linnaeus,1767) (Noctuidae) *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europa* Schawerda,1912 01 05 07 08 10 16 17 18 22 28 30 31 33 34 35 39 40 42 45 50 52 61 62 65
- 280) **Parascotia robiginosa** (Staudinger,1892) (Noctuidae) *robiginosa* Staudinger,1892 01 05 06 07 33 42 46 62
- 281) **Parastichtis corticea** (Esper,[1800]) (Noctuidae) *hypsilion* [Denis & Schiffermüller],1775; *ipilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. 01 06 10 17 25 30 35 36 49 50 51 58 60 62 66 75
- 282) **Perigrapha (Opacographa (Turcographa)) rorida** (Frivaldsky,1835) (Noctuidae) *rorida* Frivaldsky,1835; *ganimetæ* Kornosor & Lödl,1990 01 05 06 07 09 15 16 17 31 32 33 35 43 45 46 56 62
- 283) **Perigrapha (s.str.) i-cinctum** ([Denis & Schiffermüller],1775) (Noctuidae) *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Micheli,1966. 02 06 07 15 22 25 30 32 46 51 58 62 73
- 284) **Phlebois sureyae** (Rebel,1931) (Noctuidae) *sureyae* Rebel,1931. 04 06 23 44 46 58 62 75
- 285) **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. 01 05 06 08 13 31 44 46 56 58 62
- 286) **Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae) *manisadjiani* Staudinger,1881 05 06 08 33 42 44 46 50 51 58 62
- 287) **Pseudenargia deleta** (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *badiofasciata* Draudt,1936; *basilissa* Brandt,1938. 01 04 13 23 30 36 44 46 58 62 63 65 73
- 288) **Pseudenargia regina** (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65
- 289) **Schinia cardui** (Hübner,1790) (Noctuidae) *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933. 06 08 21 36 58 62
- 290) **Simyra dentinosa** Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 05 06 20 25 26 30 33 34 42 46 50 56 58 60 62 65
- 291) **Spaelotis ravida** ([Denis & Schiffermüller],1775) (Noctuidae) *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933. 04 05 06 14 18 25 36 42 50 58 62 65 66 73
- 292) **Spudaea castanea** Osthelder,1933 (Noctuidae) *castanea* Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968 05 06 07 09 11 15 31 33 46 58 62
- 293) **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 294) **Ulochlaena hirta** (Hübner,[1813]) (Noctuidae) *hirta* Hübner,[1813] 05 06 07 13 32 30 36 38 46 49 58 62 65 70
- 295) **Valerietta niphopasta** (Hampson,1906) (Noctuidae) *niphopasta* Hampson,1906 01 06 07 31 42 62
- 296) **Victrix (Rasihia) hackeri** Varga & Ronkay,1991 (Noctuidae) *hackeri* Varga & Ronkay,1991 06 13 23 50 58 62 65 71
- 297) **Victrix (s.str.) artaxias** Varga & Ronkay,1989 (Noctuidae) *artaxias* Varga & Ronkay,1989 04 62 65
- 298) **Xanthia icteritia** (Hufnagel,1766) (Noctuidae) *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. 06 14 25 36 62 66 75
- 299) **Xanthia togata** (Esper,1788) (Noctuidae) *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803]. 14 58 62
- 300) **Xestia (s.str.) sareptana** (Herrich-Schäffer,[1851]) (Noctuidae) *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936 50 62
- 301) **Xestia (s.str.) xanthographa** ([Denis & Schiffermüller],1775) (Noctuidae) *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922. 01 05 20 42 62
- 302) **Xylena lunifera** Warren,1910 (Noctuidae) *lunifera* Warren,1910 05 06 08 24 62 65 75
- 303) **Zekelita (Ravalita) ravalis** (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *pallida* Schawerda,1929; *transcaspica* Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 304) **Zekelita (Rhynchodontodes) antiqualis** (Hübner,[1809]) (Noctuidae) *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *antiquilis* Zukowsky,1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 305) **Zethes narghisa** Brandt,1938 (Noctuidae) *narghisa* Brandt,1938 13 30 62
- 306) **Cerura (s.str.) vinula** (Linnaeus,1758) (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 307) **Clostera pigra** (Hufnagel,1766) (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alicaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *flavidior* Bytinski-Salz,1936 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 308) **Furcula interrupta** Christoph,1867 (Notodontidae) *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *syreyae* Schintlmeister,1989. 01 05 06 07 12 15 19 26 30 31 33 42 44 46 60 62 71
- 309) **Harpyia milhauseri** (Fabricius,1775) (Notodontidae) *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73

- 310) **Peridea korbi** (Rebel,1918) (Notodontidae) *korbi* Rebel,1918 06 07 17 30 32 33 46 56 60 62 64 65
- 311) **Spatalia argentina** ([Denis & Schiffermüller],1775) (Notodontidae) *argentina* [Denis & Schiffermüller],1775 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 312) **Archon apollinaris** (Staudinger,[1892]) (Papilionidae) *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907; *bostanchii* De Freina & Naderi,2003. 21 23 30 47 49 56 62 65 73
- 313) **Iphiclides podalirius** (Linnaeus,1758) (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 314) **Papilio (s.str.) alexanor** Esper,[1800] (Papilionidae) *polidamas* De Prunner,1787 *nec* Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 315) **Papilio (s.str.) machaon** Linnaeus,1758 (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 316) **Parnassius (Driopa) mnemosyne** (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 317) **Parnassius (s.str.) apollo** (Linnaeus,1758) (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 318) **Zerynthia (Allancastris) deyrollei** (Oberthür,1869) (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagens,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 319) **Anthocharis cardamines** (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 320) **Anthocharis gruneri** Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluata* Röber,1907; *eros* Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 321) **Aporia (s.str.) crataegi** (Linnaeus,1758) (Pieridae) *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 322) **Colias (Eriocolias) crocea** (Fourcroy,1785) (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 323) **Colias (Neocolias) aurorina** Herrich-Schäffer,[1850] (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 324) **Colias (s.str.) sareptensis** Staudinger,1881 (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 325) **Euchloe (Elphinstonia) penia** (Freyer,[1852]) (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71
- 326) **Euchloe (s.str.) ausonia** (Hübner,[1804]) (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 327) **Gonepteryx (s.str.) farinosa** (Zeller,1847) (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 328) **Gonepteryx (s.str.) rhamni** (Linnaeus,1758) (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 329) **Leptidea duponcheli** (Staudinger,1871) (Pieridae) *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 330) **Leptidea sinapis** (Linnaeus,1758) (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 331) **Pieris (Artogeia) ergane** (Geyer,[1828]) (Pieridae) *ergane* Geyer,[1828]; *narcarea* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 332) **Pieris (Artogeia) krueperi** Staudinger,1860 (Pieridae) *krueperi* Staudinger,1860 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 333) **Pieris (Artogeia) mannii** (Mayer,1851) (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 334) **Pieris (Artogeia) pseudorapae** Verity,1908 (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 335) **Pieris (Artogeia) rapae** (Linnaeus,1758) (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 336) **Pontia callidice** (Hübner,[1800]) (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 337) **Pontia chloridice** (Hübner,[1813]) (Pieridae) *russiae* Esper,[1784] *nec* *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec* Oberthür,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 338) **Pontia edusa** (Fabricius,1777) (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 339) **Saturnia (Neoris) naessigi** (De Freina,1992) (Saturniidae) *naessigi* De Freina,1992 24 25 30 58 62

- 340) **Brintesia circe (Fabricius,1775)** (Satyridae) *circe Fabricius,1775; proserpina Denis & Schiffermüller,1775; maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladettæ Varin,1962.* 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 341) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *anthe Hoffmannsegg,1804; persephone Hübner,1805; anthe Ochsenheimer,1807.* 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 342) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi Herrich-Schäffer,[1846]* 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 343) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis Linnaeus,1764; daedale Bergsträßer,1780; bataia Fruhstorfer,1909; interjecta Verity,1916; variabilis Varin,1958; pictonica Varin,1958.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 344) **Chazara (s.str.) egina (Staudinger,[1892])** (Satyridae) *egina Staudinger,[1892]; aisha Rose,1986.* 02 24 44 58 62 65
- 345) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus Linnaeus,1758; menalcas Poda,1761; nephele Hufnagel,1766; marginata Heyne,1894; orantia Fruhstorfer,1908; scota Verity,1911; infrarasa Verity,1926; juldusica Verity,1926; asiaemontium Verity,1926; euxina Verity,1926; posteuxina Verity,1926; londonii Verity,1926; neolyllus De Lattin,1950* 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 346) **Coenonympha saadi (Kollar,[1849])** (Satyridae) *saadi Kollar,[1849]; iphias Eversmann,1851.* 02 12 13 21 23 25 27 30 44 46 47 56 58 62 63 65 72 73
- 347) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#climene Esper,[1783]; clymene Fabricius,1787; boroeas Latreille,1803; synclimene Hübner,[1819].* 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 348) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950.* 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 349) **Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *parisatis Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000.* 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 350) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca Staudinger,1871; attikana Fruhstorfer,1907; meschetica Jachontov,1915; tokatensis Gross,1959.* 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 351) **Hyponephele (s.str. (Turaninphele)) wagneri (Herrich-Schäffer,[1846])** (Satyridae) *wagneri Herrich-Schäffer,[1846]; schmidtii Bang-Haas,1927.* 01 02 07 12 13 21 23 24 27 30 33 44 47 50 56 58 62 63 65 73
- 352) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina Costa,[1836]* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 353) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.* 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 354) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000* 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 355) **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) *roxelana Cramer,[1777]* 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 356) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabyris Fruhstorfer,1909.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 357) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellator Verity,1923; pallidedepulverata Verity,1923.* 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 358) **Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) *telmessia Zeller,1847; pallescens Butler,1868; kurdistan Heyne,1894; oreas Le Cerf,1912; manioides Le Cerf,1912; ornata Turati & Fiori,1930; marenigrans Verity,1938; pelekasis Kattulas & Koutsafikis,1978.* 01 02 03 07 09 10 12 13 15 17 20 21 23 27 30 31 32 33 35 42 44 45 46 47 51 56 62 63 65 70 72 73 80
- 359) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.* 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 360) **Melanargia (Turcargia) syriaca (Herrich-Schäffer,1894)** (Satyridae) *syriaca Oberthür,1894* 01 12 13 21 23 24 25 30 31 46 49 62 65 73 80
- 361) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea Hübner,[1824]; atavirensis Coutsis,1973.* 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 362) **Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) *telephassa Geyer,[1827]* 01 02 12 21 23 27 30 31 36 44 46 47 50 56 62 63 73 76
- 363) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri Herrich-Schäffer,[1846]; aristonius Fruhstorfer,[1911]; selim Gross,1978, karsicola Gross,1978* 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 364) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra Herrich-Schäffer,[1846]; sintenisii Staudinger,1895* 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 365) **Pseudochazara (s.str.) mnischechii (Herrich-Schäffer,[1851])** (Satyridae) *mnischechii Herrich-Schäffer,[1851]* 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 366) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) *pelopea Klug,1832* 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 73 76
- 367) **Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) *bryce Herrich-Schäffer,[1852] nec Hübn.,[1800]; amasinus Staudinger,1861* 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 368) **Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) *favonius Staudinger,[1892]* 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 369) **Paranthrene insolita Le Cerf,1914** (Sesiidae) *insolita Le Cerf,1914; aurantiacum Rebel,1917.* 01 06 11 14 24 26 31 33 42 46 47 62 70
- 370) **Dolbina elegans (A.Bang-Haas,1912)** (Sphingidae) *elegans A.Bang-Haas,1912; steffensi Popescu-Gorj,1971.* 31 32 33 62 65
- 371) **Hyles hippophaes (Esper,[1789])** (Sphingidae) *hippophaes Esper,[1789]; teriolensis Dannehl,1929; kiortsii Koutsafikis,1974.* 06 19 23 25 30 36 44 46 50 62 65 71

- 372) **Marumba quercus** ([Denis & Schiffermüller],1775) (Sphingidae) *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens, pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. 01 05 06 07 10 12 19 30 42 46 47 62 65 73
- 373) **Tethea ocularis** (Linnaeus,1767) (Thyatiridae) *ocularis* Linnaeus,1767; *octogena* Esper,1788 03 06 12 13 14 15 17 19 32 36 37 42 43 46 50 60 62 65 71
- 374) **Jordanita (Roccia) budensis** (Speyer & Speyer,1858) (Zygaenidae) *budensis* Speyer & Speyer,1858 05 06 29 33 36 42 51 58 62 69 70
- 375) **Jordanita (s.str.) graeca** (Jordan,1907) (Zygaenidae) *graeca* Jordan,1907; *sultana* Alberti,1937 06 13 24 30 33 42 47 49 50 62 65
- 376) **Zygaena (Agrumenia) olivieri** Boisduval,1828 (Zygaenidae) *olivieri* Boisduval,1828 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58 60 62 65 66 73 76
- 377) **Zygaena (Mesembrynus) cambysea** Lederer,1870 (Zygaenidae) *cambysea* Lederer,1870 04 05 13 25 30 58 62 65 73
- 378) **Zygaena (Mesembrynus) purpuralis** (Brünnich,1763) (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 379) **Zygaena (s.str.) dorycnii** Ochsenheimer,1808 (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 380) **Zygaena (s.str.) filipendulae** (Linnaeus,1758) (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 381) **Zygaena (s.str.) lonicerae** (Scheven,1777) (Zygaenidae) *lonicerae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
- 382) **Zygaena (s.str.) loti** ([Denis & Schiffermüller],1775) (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76

Contents / İçindekiler: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Tunceli Province (East Turkey) (Lepidoptera). p.1 – Editorial, p. 8.

MISCELLANEOUS PAPERS

ISSN 1015-8235

Miscellaneous Papers is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org